



April 01, 2025

William Kotas
Intertek PSI
17 British American Boulevard
Latham, NY 12110

RE: Project: SHARON SPRINGS CSD
Pace Project No.: 70344144

Dear William Kotas:

Enclosed are the analytical results for sample(s) received by the laboratory on March 20, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Melville

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script that reads 'Lori Beyer'.

Lori A. Beyer
lori.beyer@pacelabs.com
516-370-6014
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Pace Analytical Services, LLC - Melville, NY

575 Broad Hollow Rd, Melville, NY 11747

Connecticut Certification #: PH-0435

Delaware Certification # NY 10478

Maryland Certification #: 208

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987

New Jersey Certification #: NY158

New York Certification #: 10478 Primary Accrediting Body

Pennsylvania Certification #: 68-00350

Rhode Island Certification #: LAO00340

Texas Certification #: T104704582

Florida Certification #: E871198

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE SUMMARY

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Lab ID	Sample ID	Matrix	Date Collected	Date Received
70344144001	001	Drinking Water	03/18/25 06:10	03/20/25 08:00
70344144002	002	Drinking Water	03/18/25 06:15	03/20/25 08:00
70344144003	003	Drinking Water	03/18/25 06:15	03/20/25 08:00
70344144004	004	Drinking Water	03/18/25 06:15	03/20/25 08:00
70344144005	005	Drinking Water	03/18/25 06:15	03/20/25 08:00
70344144006	006	Drinking Water	03/18/25 06:16	03/20/25 08:00
70344144007	007	Drinking Water	03/18/25 06:18	03/20/25 08:00
70344144008	008	Drinking Water	03/18/25 06:19	03/20/25 08:00
70344144009	009	Drinking Water	03/18/25 06:19	03/20/25 08:00
70344144010	010	Drinking Water	03/18/25 06:20	03/20/25 08:00
70344144011	011	Drinking Water	03/18/25 06:21	03/20/25 08:00
70344144012	012	Drinking Water	03/18/25 06:21	03/20/25 08:00
70344144013	013	Drinking Water	03/18/25 06:21	03/20/25 08:00
70344144014	014	Drinking Water	03/18/25 06:23	03/20/25 08:00
70344144015	015	Drinking Water	03/18/25 06:24	03/20/25 08:00
70344144016	016	Drinking Water	03/18/25 06:24	03/20/25 08:00
70344144017	017	Drinking Water	03/18/25 06:24	03/20/25 08:00
70344144018	018	Drinking Water	03/18/25 06:24	03/20/25 08:00
70344144019	019	Drinking Water	03/18/25 06:24	03/20/25 08:00
70344144020	020	Drinking Water	03/18/25 06:24	03/20/25 08:00
70344144021	021	Drinking Water	03/18/25 06:24	03/20/25 08:00
70344144022	022	Drinking Water	03/18/25 06:24	03/20/25 08:00
70344144023	023	Drinking Water	03/18/25 06:24	03/20/25 08:00
70344144024	024	Drinking Water	03/18/25 06:24	03/20/25 08:00
70344144025	025	Drinking Water	03/18/25 06:30	03/20/25 08:00
70344144026	026	Drinking Water	03/18/25 06:30	03/20/25 08:00
70344144027	027	Drinking Water	03/18/25 06:32	03/20/25 08:00
70344144028	028	Drinking Water	03/18/25 06:32	03/20/25 08:00
70344144029	029	Drinking Water	03/18/25 06:34	03/20/25 08:00
70344144030	030	Drinking Water	03/18/25 06:35	03/20/25 08:00
70344144031	031	Drinking Water	03/18/25 06:35	03/20/25 08:00
70344144032	032	Drinking Water	03/18/25 06:35	03/20/25 08:00
70344144033	033	Drinking Water	03/18/25 06:35	03/20/25 08:00
70344144034	034	Drinking Water	03/18/25 06:36	03/20/25 08:00
70344144035	035	Drinking Water	03/18/25 06:36	03/20/25 08:00
70344144036	036	Drinking Water	03/18/25 06:36	03/20/25 08:00
70344144037	037	Drinking Water	03/18/25 06:39	03/20/25 08:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE SUMMARY

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Lab ID	Sample ID	Matrix	Date Collected	Date Received
70344144038	038	Drinking Water	03/18/25 06:39	03/20/25 08:00
70344144039	039	Drinking Water	03/18/25 06:39	03/20/25 08:00
70344144040	040	Drinking Water	03/18/25 06:39	03/20/25 08:00
70344144041	041	Drinking Water	03/18/25 06:41	03/20/25 08:00
70344144042	042	Drinking Water	03/18/25 06:41	03/20/25 08:00
70344144043	043	Drinking Water	03/18/25 06:41	03/20/25 08:00
70344144044	044	Drinking Water	03/18/25 06:45	03/20/25 08:00
70344144045	045	Drinking Water	03/18/25 06:46	03/20/25 08:00
70344144046	046	Drinking Water	03/18/25 06:47	03/20/25 08:00
70344144047	047	Drinking Water	03/18/25 06:47	03/20/25 08:00
70344144048	048	Drinking Water	03/18/25 06:49	03/20/25 08:00
70344144049	049	Drinking Water	03/18/25 06:49	03/20/25 08:00
70344144050	050	Drinking Water	03/18/25 06:49	03/20/25 08:00
70344144051	051	Drinking Water	03/18/25 06:50	03/20/25 08:00
70344144052	052	Drinking Water	03/18/25 06:51	03/20/25 08:00
70344144053	053	Drinking Water	03/18/25 06:51	03/20/25 08:00
70344144054	054	Drinking Water	03/18/25 06:51	03/20/25 08:00
70344144055	055	Drinking Water	03/18/25 06:54	03/20/25 08:00
70344144056	056	Drinking Water	03/18/25 06:54	03/20/25 08:00
70344144057	057	Drinking Water	03/18/25 06:54	03/20/25 08:00
70344144058	058	Drinking Water	03/18/25 06:55	03/20/25 08:00
70344144059	059	Drinking Water	03/18/25 06:58	03/20/25 08:00
70344144060	060	Drinking Water	03/18/25 06:59	03/20/25 08:00
70344144061	061	Drinking Water	03/18/25 06:59	03/20/25 08:00
70344144062	062	Drinking Water	03/18/25 07:00	03/20/25 08:00
70344144063	063	Drinking Water	03/18/25 07:01	03/20/25 08:00
70344144064	064	Drinking Water	03/18/25 07:02	03/20/25 08:00
70344144065	065	Drinking Water	03/18/25 07:02	03/20/25 08:00
70344144066	066	Drinking Water	03/18/25 07:04	03/20/25 08:00
70344144067	067	Drinking Water	03/18/25 07:05	03/20/25 08:00
70344144068	068	Drinking Water	03/18/25 07:05	03/20/25 08:00
70344144069	069	Drinking Water	03/18/25 07:06	03/20/25 08:00
70344144070	070	Drinking Water	03/18/25 07:06	03/20/25 08:00
70344144071	071	Drinking Water	03/18/25 07:06	03/20/25 08:00
70344144072	072	Drinking Water	03/18/25 07:06	03/20/25 08:00
70344144073	073	Drinking Water	03/18/25 07:09	03/20/25 08:00
70344144074	074	Drinking Water	03/18/25 07:11	03/20/25 08:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE SUMMARY

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Lab ID	Sample ID	Matrix	Date Collected	Date Received
70344144075	075	Drinking Water	03/18/25 07:12	03/20/25 08:00
70344144076	076	Drinking Water	03/18/25 07:12	03/20/25 08:00
70344144077	077	Drinking Water	03/18/25 07:14	03/20/25 08:00
70344144078	078	Drinking Water	03/18/25 07:15	03/20/25 08:00
70344144079	079	Drinking Water	03/18/25 07:15	03/20/25 08:00
70344144080	080	Drinking Water	03/18/25 07:16	03/20/25 08:00
70344144081	081	Drinking Water	03/18/25 07:16	03/20/25 08:00
70344144082	082	Drinking Water	03/18/25 07:16	03/20/25 08:00
70344144083	083	Drinking Water	03/18/25 07:25	03/20/25 08:00
70344144084	084	Drinking Water	03/18/25 07:25	03/20/25 08:00
70344144085	085	Drinking Water	03/18/25 07:25	03/20/25 08:00
70344144086	086	Drinking Water	03/18/25 07:26	03/20/25 08:00
70344144087	087	Drinking Water	03/18/25 07:26	03/20/25 08:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: SHARON SPRINGS CSD
Pace Project No.: 70344144

Lab ID	Sample ID	Method	Analysts	Analytes Reported
70344144001	001	EPA 200.8	JP2	1
70344144002	002	EPA 200.8	JP2	1
70344144003	003	EPA 200.8	JP2	1
70344144004	004	EPA 200.8	JP2	1
70344144005	005	EPA 200.8	JP2	1
70344144006	006	EPA 200.8	JP2	1
70344144007	007	EPA 200.8	JP2	1
70344144008	008	EPA 200.8	JP2	1
70344144009	009	EPA 200.8	JP2	1
70344144010	010	EPA 200.8	JP2	1
70344144011	011	EPA 200.8	JP2	1
70344144012	012	EPA 200.8	JP2	1
70344144013	013	EPA 200.8	JP2	1
70344144014	014	EPA 200.8	JP2	1
70344144015	015	EPA 200.8	JP2	1
70344144016	016	EPA 200.8	JP2	1
70344144017	017	EPA 200.8	JP2	1
70344144018	018	EPA 200.8	JP2	1
70344144019	019	EPA 200.8	JP2	1
70344144020	020	EPA 200.8	JP2	1
70344144021	021	EPA 200.8	JP2	1
70344144022	022	EPA 200.8	JP2	1
70344144023	023	EPA 200.8	JP2	1
70344144024	024	EPA 200.8	JP2	1
70344144025	025	EPA 200.8	JP2	1
70344144026	026	EPA 200.8	JP2	1
70344144027	027	EPA 200.8	JP2	1
70344144028	028	EPA 200.8	JP2	1
70344144029	029	EPA 200.8	JP2	1
70344144030	030	EPA 200.8	JP2	1
70344144031	031	EPA 200.8	JP2	1
70344144032	032	EPA 200.8	JP2	1
70344144033	033	EPA 200.8	JP2	1
70344144034	034	EPA 200.8	JP2	1
70344144035	035	EPA 200.8	JP2	1
70344144036	036	EPA 200.8	JP2	1
70344144037	037	EPA 200.8	JP2	1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Lab ID	Sample ID	Method	Analysts	Analytes Reported
70344144038	038	EPA 200.8	JP2	1
70344144039	039	EPA 200.8	JP2	1
70344144040	040	EPA 200.8	JP2	1
70344144041	041	EPA 200.8	JP2	1
70344144042	042	EPA 200.8	JP2	1
70344144043	043	EPA 200.8	JP2	1
70344144044	044	EPA 200.8	JP2	1
70344144045	045	EPA 200.8	JP2	1
70344144046	046	EPA 200.8	JP2	1
70344144047	047	EPA 200.8	JP2	1
70344144048	048	EPA 200.8	JP2	1
70344144049	049	EPA 200.8	JP2	1
70344144050	050	EPA 200.8	JP2	1
70344144051	051	EPA 200.8	JP2	1
70344144052	052	EPA 200.8	JP2	1
70344144053	053	EPA 200.8	JP2	1
70344144054	054	EPA 200.8	JP2	1
70344144055	055	EPA 200.8	JP2	1
70344144056	056	EPA 200.8	JP2	1
70344144057	057	EPA 200.8	JP2	1
70344144058	058	EPA 200.8	JP2	1
70344144059	059	EPA 200.8	JP2	1
70344144060	060	EPA 200.8	JP2	1
70344144061	061	EPA 200.8	JP2	1
70344144062	062	EPA 200.8	JP2	1
70344144063	063	EPA 200.8	JP2	1
70344144064	064	EPA 200.8	JP2	1
70344144065	065	EPA 200.8	JP2	1
70344144066	066	EPA 200.8	JP2	1
70344144067	067	EPA 200.8	JP2	1
70344144068	068	EPA 200.8	JP2	1
70344144069	069	EPA 200.8	JP2	1
70344144070	070	EPA 200.8	JP2	1
70344144071	071	EPA 200.8	JP2	1
70344144072	072	EPA 200.8	JP2	1
70344144073	073	EPA 200.8	JP2	1
70344144074	074	EPA 200.8	JP2	1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Lab ID	Sample ID	Method	Analysts	Analytes Reported
70344144075	075	EPA 200.8	JP2	1
70344144076	076	EPA 200.8	JP2	1
70344144077	077	EPA 200.8	JP2	1
70344144078	078	EPA 200.8	JP2	1
70344144079	079	EPA 200.8	JP2	1
70344144080	080	EPA 200.8	JP2	1
70344144081	081	EPA 200.8	JP2	1
70344144082	082	EPA 200.8	JP2	1
70344144083	083	EPA 200.8	JP2	1
70344144084	084	EPA 200.8	JP2	1
70344144085	085	EPA 200.8	JP2	1
70344144086	086	EPA 200.8	JP2	1
70344144087	087	EPA 200.8	JP2	1

PACE-MV = Pace Analytical Services - Melville

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 001		Lab ID: 70344144001		Collected: 03/18/25 06:10		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	2.3	ug/L	1.0	1		03/27/25 17:26	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 002		Lab ID: 70344144002		Collected: 03/18/25 06:15		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 17:28	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 003		Lab ID: 70344144003		Collected: 03/18/25 06:15		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 17:29	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 004		Lab ID: 70344144004		Collected: 03/18/25 06:15		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.3	ug/L	1.0	1		03/27/25 17:31	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 005		Lab ID: 70344144005		Collected: 03/18/25 06:15		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 17:33	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 006		Lab ID: 70344144006		Collected: 03/18/25 06:16		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 17:40	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 007		Lab ID: 70344144007		Collected: 03/18/25 06:18		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	2.1	ug/L	1.0	1		03/27/25 17:45	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 008		Lab ID: 70344144008		Collected: 03/18/25 06:19		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 17:50	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 009		Lab ID: 70344144009		Collected: 03/18/25 06:19		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 17:51	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 010		Lab ID: 70344144010		Collected: 03/18/25 06:20		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 17:53	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 011		Lab ID: 70344144011		Collected: 03/18/25 06:21		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 17:54	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 012		Lab ID: 70344144012		Collected: 03/18/25 06:21		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 17:59	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 013		Lab ID: 70344144013		Collected: 03/18/25 06:21		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 18:01	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 014		Lab ID: 70344144014		Collected: 03/18/25 06:23		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 18:02	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 015		Lab ID: 70344144015		Collected: 03/18/25 06:24		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 18:04	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD
Pace Project No.: 70344144

Sample: 016		Lab ID: 70344144016		Collected: 03/18/25 06:24		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 18:06	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 017		Lab ID: 70344144017		Collected: 03/18/25 06:24		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 18:07	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD
Pace Project No.: 70344144

Sample: 018		Lab ID: 70344144018		Collected: 03/18/25 06:24		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 18:09	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 019		Lab ID: 70344144019		Collected: 03/18/25 06:24		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 18:10	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 020		Lab ID: 70344144020		Collected: 03/18/25 06:24		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 18:12	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD
Pace Project No.: 70344144

Sample: 021		Lab ID: 70344144021		Collected: 03/18/25 06:24		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 18:14	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD
Pace Project No.: 70344144

Sample: 022		Lab ID: 70344144022		Collected: 03/18/25 06:24		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 18:18	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 023		Lab ID: 70344144023		Collected: 03/18/25 06:24		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.2	ug/L	1.0	1		03/27/25 18:20	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD
Pace Project No.: 70344144

Sample: 024		Lab ID: 70344144024		Collected: 03/18/25 06:24		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 18:21	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 025		Lab ID: 70344144025		Collected: 03/18/25 06:30		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.1	ug/L	1.0	1		03/27/25 18:23	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 026		Lab ID: 70344144026		Collected: 03/18/25 06:30		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 18:31	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD
Pace Project No.: 70344144

Sample: 027		Lab ID: 70344144027		Collected: 03/18/25 06:32		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 18:38	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 028		Lab ID: 70344144028		Collected: 03/18/25 06:32		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 18:43	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD
Pace Project No.: 70344144

Sample: 029		Lab ID: 70344144029		Collected: 03/18/25 06:34		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 18:44	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 030		Lab ID: 70344144030		Collected: 03/18/25 06:35		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 18:46	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD
Pace Project No.: 70344144

Sample: 031		Lab ID: 70344144031		Collected: 03/18/25 06:35		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 18:48	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 032		Lab ID: 70344144032		Collected: 03/18/25 06:35		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 18:49	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD
Pace Project No.: 70344144

Sample: 033		Lab ID: 70344144033		Collected: 03/18/25 06:35		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 18:51	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD
Pace Project No.: 70344144

Sample: 034		Lab ID: 70344144034		Collected: 03/18/25 06:36		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 18:56	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD
Pace Project No.: 70344144

Sample: 035		Lab ID: 70344144035		Collected: 03/18/25 06:36		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 18:57	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD
Pace Project No.: 70344144

Sample: 036		Lab ID: 70344144036		Collected: 03/18/25 06:36		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 18:59	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD
Pace Project No.: 70344144

Sample: 037		Lab ID: 70344144037		Collected: 03/18/25 06:39		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 19:00	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 038		Lab ID: 70344144038		Collected: 03/18/25 06:39		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 19:02	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD
Pace Project No.: 70344144

Sample: 039		Lab ID: 70344144039		Collected: 03/18/25 06:39		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 19:04	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD
Pace Project No.: 70344144

Sample: 040		Lab ID: 70344144040		Collected: 03/18/25 06:39		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 19:05	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 041		Lab ID: 70344144041		Collected: 03/18/25 06:41		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 19:07	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 042		Lab ID: 70344144042		Collected: 03/18/25 06:41		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 19:08	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD
Pace Project No.: 70344144

Sample: 043		Lab ID: 70344144043		Collected: 03/18/25 06:41		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 19:10	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 044		Lab ID: 70344144044		Collected: 03/18/25 06:45		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 19:15	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 045		Lab ID: 70344144045		Collected: 03/18/25 06:46		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 19:16	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD
Pace Project No.: 70344144

Sample: 046		Lab ID: 70344144046		Collected: 03/18/25 06:47		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 19:21	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 047		Lab ID: 70344144047		Collected: 03/18/25 06:47		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 19:25	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 048		Lab ID: 70344144048		Collected: 03/18/25 06:49		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 19:33	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 049		Lab ID: 70344144049		Collected: 03/18/25 06:49		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 19:34	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 050		Lab ID: 70344144050		Collected: 03/18/25 06:49		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 19:36	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD
Pace Project No.: 70344144

Sample: 051		Lab ID: 70344144051		Collected: 03/18/25 06:50		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 19:38	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 052		Lab ID: 70344144052		Collected: 03/18/25 06:51		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 19:39	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 053		Lab ID: 70344144053		Collected: 03/18/25 06:51		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 19:41	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 054		Lab ID: 70344144054		Collected: 03/18/25 06:51		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 19:42	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 055		Lab ID: 70344144055		Collected: 03/18/25 06:54		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 19:44	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 056		Lab ID: 70344144056		Collected: 03/18/25 06:54		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 19:46	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 057		Lab ID: 70344144057		Collected: 03/18/25 06:54		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/27/25 19:47	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 058		Lab ID: 70344144058		Collected: 03/18/25 06:55		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/28/25 08:57	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 059		Lab ID: 70344144059		Collected: 03/18/25 06:58		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/28/25 08:59	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 060		Lab ID: 70344144060		Collected: 03/18/25 06:59		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/28/25 09:00	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 061		Lab ID: 70344144061		Collected: 03/18/25 06:59		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/28/25 09:02	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 062		Lab ID: 70344144062		Collected: 03/18/25 07:00		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/28/25 09:03	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 063		Lab ID: 70344144063		Collected: 03/18/25 07:01		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/28/25 09:05	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 064		Lab ID: 70344144064		Collected: 03/18/25 07:02		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/28/25 09:07	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 065		Lab ID: 70344144065		Collected: 03/18/25 07:02		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/28/25 09:08	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD
Pace Project No.: 70344144

Sample: 066		Lab ID: 70344144066		Collected: 03/18/25 07:04		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/31/25 13:17	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 067		Lab ID: 70344144067		Collected: 03/18/25 07:05		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/31/25 13:22	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 068		Lab ID: 70344144068		Collected: 03/18/25 07:05		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.2	ug/L	1.0	1		03/31/25 13:26	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 069		Lab ID: 70344144069		Collected: 03/18/25 07:06		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/31/25 13:28	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 070		Lab ID: 70344144070		Collected: 03/18/25 07:06		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/31/25 13:33	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 071		Lab ID: 70344144071		Collected: 03/18/25 07:06		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/31/25 13:34	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD
Pace Project No.: 70344144

Sample: 072		Lab ID: 70344144072		Collected: 03/18/25 07:06		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/31/25 13:36	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 073		Lab ID: 70344144073		Collected: 03/18/25 07:09		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/31/25 13:37	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 074		Lab ID: 70344144074		Collected: 03/18/25 07:11		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/31/25 13:39	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 075		Lab ID: 70344144075		Collected: 03/18/25 07:12		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/31/25 13:40	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 076		Lab ID: 70344144076		Collected: 03/18/25 07:12		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/31/25 13:42	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 077		Lab ID: 70344144077		Collected: 03/18/25 07:14		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/31/25 13:44	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 078		Lab ID: 70344144078		Collected: 03/18/25 07:15		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/31/25 13:45	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 079		Lab ID: 70344144079		Collected: 03/18/25 07:15		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/31/25 13:47	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD
Pace Project No.: 70344144

Sample: 080		Lab ID: 70344144080		Collected: 03/18/25 07:16		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.3	ug/L	1.0	1		03/31/25 13:51	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 081		Lab ID: 70344144081		Collected: 03/18/25 07:16		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/31/25 13:53	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 082		Lab ID: 70344144082		Collected: 03/18/25 07:16		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/31/25 13:55	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 083		Lab ID: 70344144083		Collected: 03/18/25 07:25		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	2.0	ug/L	1.0	1		03/31/25 13:56	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 084		Lab ID: 70344144084		Collected: 03/18/25 07:25		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Preparation Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	23.4	ug/L	1.0	1	03/28/25 07:04	03/28/25 17:45	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Sample: 085		Lab ID: 70344144085		Collected: 03/18/25 07:25		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	26.6	ug/L	1.0	1		03/31/25 13:58	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD
Pace Project No.: 70344144

Sample: 086		Lab ID: 70344144086		Collected: 03/18/25 07:26		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	4.6	ug/L	1.0	1		03/31/25 13:59	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: SHARON SPRINGS CSD
Pace Project No.: 70344144

Sample: 087		Lab ID: 70344144087		Collected: 03/18/25 07:26		Received: 03/20/25 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	10.9	ug/L	1.0	1		03/31/25 14:10	7439-92-1		

REPORT OF LABORATORY ANALYSIS



QUALITY CONTROL DATA

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

QC Batch: 391415

Analysis Method: EPA 200.8

QC Batch Method: EPA 200.8

Analysis Description: 200.8 MET No Prep Drinking Water

Laboratory: Pace Analytical Services - Melville

Associated Lab Samples: 70344144001, 70344144002, 70344144003, 70344144004, 70344144005

METHOD BLANK: 2057898

Matrix: Water

Associated Lab Samples: 70344144001, 70344144002, 70344144003, 70344144004, 70344144005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	03/27/25 16:47	

LABORATORY CONTROL SAMPLE: 2057899

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	51.7	103	85-115	

MATRIX SPIKE SAMPLE: 2057901

Parameter	Units	70344721020 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	45.5	91	70-130	

MATRIX SPIKE SAMPLE: 2057903

Parameter	Units	70344721021 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	45.5	91	70-130	

SAMPLE DUPLICATE: 2057900

Parameter	Units	70344721020 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

SAMPLE DUPLICATE: 2057902

Parameter	Units	70344721021 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

QC Batch:	391416	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70344144006, 70344144007, 70344144008, 70344144009, 70344144010, 70344144011, 70344144012, 70344144013, 70344144014, 70344144015, 70344144016, 70344144017, 70344144018, 70344144019, 70344144020, 70344144021, 70344144022, 70344144023, 70344144024, 70344144025		

METHOD BLANK:	2057905	Matrix:	Water
Associated Lab Samples:	70344144006, 70344144007, 70344144008, 70344144009, 70344144010, 70344144011, 70344144012, 70344144013, 70344144014, 70344144015, 70344144016, 70344144017, 70344144018, 70344144019, 70344144020, 70344144021, 70344144022, 70344144023, 70344144024, 70344144025		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	03/27/25 17:34	

LABORATORY CONTROL SAMPLE:	2057906					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.5	101	85-115	

MATRIX SPIKE SAMPLE:	2057908						
Parameter	Units	70344144006 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	46.6	91	70-130	

MATRIX SPIKE SAMPLE:	2057910						
Parameter	Units	70344144007 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	2.1	50	47.8	91	70-130	

SAMPLE DUPLICATE: 2057907						
Parameter	Units	70344144006 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

SAMPLE DUPLICATE: 2057909

Parameter	Units	70344144007 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	2.1	2.1	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

QC Batch:	391435	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70344144026, 70344144027, 70344144028, 70344144029, 70344144030, 70344144031, 70344144032, 70344144033, 70344144034, 70344144035, 70344144036, 70344144037, 70344144038, 70344144039, 70344144040, 70344144041, 70344144042, 70344144043, 70344144044, 70344144045		

METHOD BLANK:	2058048	Matrix:	Water
Associated Lab Samples:	70344144026, 70344144027, 70344144028, 70344144029, 70344144030, 70344144031, 70344144032, 70344144033, 70344144034, 70344144035, 70344144036, 70344144037, 70344144038, 70344144039, 70344144040, 70344144041, 70344144042, 70344144043, 70344144044, 70344144045		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	03/27/25 18:28	

LABORATORY CONTROL SAMPLE:	2058049					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	51.2	102	85-115	

MATRIX SPIKE SAMPLE:		2058051					
		70344144026	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	<1.0	100	109	109	70-130	

MATRIX SPIKE SAMPLE:		2058053					
		70344144027	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	<1.0	100	92.1	92	70-130	

SAMPLE DUPLICATE:	2058050					
Parameter	Units	70344144026 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

SAMPLE DUPLICATE:	2058052					
Parameter	Units	70344144027 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

QC Batch:	391438	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70344144046, 70344144047, 70344144048, 70344144049, 70344144050, 70344144051, 70344144052, 70344144053, 70344144054, 70344144055, 70344144056, 70344144057, 70344144058, 70344144059, 70344144060, 70344144061, 70344144062, 70344144063, 70344144064, 70344144065		

METHOD BLANK:	2058060	Matrix:	Water
Associated Lab Samples:	70344144046, 70344144047, 70344144048, 70344144049, 70344144050, 70344144051, 70344144052, 70344144053, 70344144054, 70344144055, 70344144056, 70344144057, 70344144058, 70344144059, 70344144060, 70344144061, 70344144062, 70344144063, 70344144064, 70344144065		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	03/27/25 19:18	

LABORATORY CONTROL SAMPLE: 2058061						
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	52.6	105	85-115	

MATRIX SPIKE SAMPLE:		2058063					
		70344144046	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	<1.0	100	92.2	92	70-130	

MATRIX SPIKE SAMPLE:		2058065					
		70344144047	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	<1.0	100	90.7	91	70-130	

SAMPLE DUPLICATE: 2058062						
Parameter	Units	70344144046 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

SAMPLE DUPLICATE: 2058064						
Parameter	Units	70344144047 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

QC Batch:	391440	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70344144066, 70344144067, 70344144068, 70344144069, 70344144070, 70344144071, 70344144072, 70344144073, 70344144074, 70344144075, 70344144076, 70344144077, 70344144078, 70344144079, 70344144080, 70344144081, 70344144082, 70344144083, 70344144085, 70344144086		

METHOD BLANK: 2058068

Matrix: Water

Associated Lab Samples: 70344144066, 70344144067, 70344144068, 70344144069, 70344144070, 70344144071, 70344144072, 70344144073, 70344144074, 70344144075, 70344144076, 70344144077, 70344144078, 70344144079, 70344144080, 70344144081, 70344144082, 70344144083, 70344144085, 70344144086

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	03/31/25 13:14	

LABORATORY CONTROL SAMPLE: 2058069

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	48.9	98	85-115	

MATRIX SPIKE SAMPLE: 2058071

Parameter	Units	70344144066 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	50.3	100	70-130	

MATRIX SPIKE SAMPLE: 2058073

Parameter	Units	70344144067 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	48.1	96	70-130	

SAMPLE DUPLICATE: 2058070

Parameter	Units	70344144066 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

SAMPLE DUPLICATE: 2058072

Parameter	Units	70344144067 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: SHARON SPRINGS CSD
Pace Project No.: 70344144

QC Batch:	391450	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville

Associated Lab Samples: 70344144087

METHOD BLANK: 2058117 Matrix: Water
Associated Lab Samples: 70344144087

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	03/31/25 14:01	

LABORATORY CONTROL SAMPLE: 2058118

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	49.1	98	85-115	

MATRIX SPIKE SAMPLE: 2058120

Parameter	Units	70344390001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	27.6	50	71.8	88	70-130	

MATRIX SPIKE SAMPLE: 2058122

Parameter	Units	70344390002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	1.8	100	96.1	94	70-130	

SAMPLE DUPLICATE: 2058119

Parameter	Units	70344390001 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	27.6	26.0	6	20	

SAMPLE DUPLICATE: 2058121

Parameter	Units	70344390002 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	1.8	1.8	2	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

QC Batch: 391548

Analysis Method: EPA 200.8

QC Batch Method: EPA 200.8

Analysis Description: 200.8 MET Drinking Water

Laboratory: Pace Analytical Services - Melville

Associated Lab Samples: 70344144084

METHOD BLANK: 2058568

Matrix: Water

Associated Lab Samples: 70344144084

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	03/28/25 17:38	

LABORATORY CONTROL SAMPLE & LCSD: 2058569

2058570

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Lead	ug/L	50	51.3	50.8	103	102	85-115	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: SHARON SPRINGS CSD
Pace Project No.: 70344144

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70344144084	084	EPA 200.8	391548	EPA 200.8	391583
70344144001	001	EPA 200.8	391415		
70344144002	002	EPA 200.8	391415		
70344144003	003	EPA 200.8	391415		
70344144004	004	EPA 200.8	391415		
70344144005	005	EPA 200.8	391415		
70344144006	006	EPA 200.8	391416		
70344144007	007	EPA 200.8	391416		
70344144008	008	EPA 200.8	391416		
70344144009	009	EPA 200.8	391416		
70344144010	010	EPA 200.8	391416		
70344144011	011	EPA 200.8	391416		
70344144012	012	EPA 200.8	391416		
70344144013	013	EPA 200.8	391416		
70344144014	014	EPA 200.8	391416		
70344144015	015	EPA 200.8	391416		
70344144016	016	EPA 200.8	391416		
70344144017	017	EPA 200.8	391416		
70344144018	018	EPA 200.8	391416		
70344144019	019	EPA 200.8	391416		
70344144020	020	EPA 200.8	391416		
70344144021	021	EPA 200.8	391416		
70344144022	022	EPA 200.8	391416		
70344144023	023	EPA 200.8	391416		
70344144024	024	EPA 200.8	391416		
70344144025	025	EPA 200.8	391416		
70344144026	026	EPA 200.8	391435		
70344144027	027	EPA 200.8	391435		
70344144028	028	EPA 200.8	391435		
70344144029	029	EPA 200.8	391435		
70344144030	030	EPA 200.8	391435		
70344144031	031	EPA 200.8	391435		
70344144032	032	EPA 200.8	391435		
70344144033	033	EPA 200.8	391435		
70344144034	034	EPA 200.8	391435		
70344144035	035	EPA 200.8	391435		
70344144036	036	EPA 200.8	391435		
70344144037	037	EPA 200.8	391435		
70344144038	038	EPA 200.8	391435		
70344144039	039	EPA 200.8	391435		
70344144040	040	EPA 200.8	391435		
70344144041	041	EPA 200.8	391435		
70344144042	042	EPA 200.8	391435		
70344144043	043	EPA 200.8	391435		
70344144044	044	EPA 200.8	391435		
70344144045	045	EPA 200.8	391435		
70344144046	046	EPA 200.8	391438		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: SHARON SPRINGS CSD

Pace Project No.: 70344144

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70344144047	047	EPA 200.8	391438		
70344144048	048	EPA 200.8	391438		
70344144049	049	EPA 200.8	391438		
70344144050	050	EPA 200.8	391438		
70344144051	051	EPA 200.8	391438		
70344144052	052	EPA 200.8	391438		
70344144053	053	EPA 200.8	391438		
70344144054	054	EPA 200.8	391438		
70344144055	055	EPA 200.8	391438		
70344144056	056	EPA 200.8	391438		
70344144057	057	EPA 200.8	391438		
70344144058	058	EPA 200.8	391438		
70344144059	059	EPA 200.8	391438		
70344144060	060	EPA 200.8	391438		
70344144061	061	EPA 200.8	391438		
70344144062	062	EPA 200.8	391438		
70344144063	063	EPA 200.8	391438		
70344144064	064	EPA 200.8	391438		
70344144065	065	EPA 200.8	391438		
70344144066	066	EPA 200.8	391440		
70344144067	067	EPA 200.8	391440		
70344144068	068	EPA 200.8	391440		
70344144069	069	EPA 200.8	391440		
70344144070	070	EPA 200.8	391440		
70344144071	071	EPA 200.8	391440		
70344144072	072	EPA 200.8	391440		
70344144073	073	EPA 200.8	391440		
70344144074	074	EPA 200.8	391440		
70344144075	075	EPA 200.8	391440		
70344144076	076	EPA 200.8	391440		
70344144077	077	EPA 200.8	391440		
70344144078	078	EPA 200.8	391440		
70344144079	079	EPA 200.8	391440		
70344144080	080	EPA 200.8	391440		
70344144081	081	EPA 200.8	391440		
70344144082	082	EPA 200.8	391440		
70344144083	083	EPA 200.8	391440		
70344144085	085	EPA 200.8	391440		
70344144086	086	EPA 200.8	391440		
70344144087	087	EPA 200.8	391450		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CHAIN-OF-CUSTODY Analytical Request Document
Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields



WO#: 70344144



Company Name: Intertek-PSI
Street Address: 17 British American Blvd, Latham, NY 12120

Contact/Report To: William Kotas
Phone #: (518) 377-9841
E-Mail: william.kotas@intertek.com
Cc E-Mail:

Customer Project #: Sharon Springs Central School District

Invoice To: PSI Latham Accounts Payable
Invoice E-Mail: LathamAR@intertek.com

Site Collection Info/Facility ID (as applicable):

Purchase Order # (if applicable):

Quote #: CR-BOCES

Time Zone Collected: [] AK [] MT [] CT [X] ET

Data Deliverables: [] Level II [] Level III [] Level IV

[] EQUIS [] Other

Date Results Requested: Standard 10 business day

Field Filtered (if applicable): [] Yes [] No

Analyst: Rush (Pre-approval required):

DW PWSID # or WW Permit # as applicable:

Regulatory Program (DW, RCMA, etc.) as applicable: NY Lead in School DW

County / State origin of sample(s): New York

Matrix * DW

Comp / Grab G

Collected (or Composite Start) Date Time

Res. CL2 Time

Number & Type of Containers Plastic Glass

200.8 Drinking Water (Pb only)

Preservation non-conformance identified for

Proj. Mgr: Lori Beyer

AcctNum / Client ID:

Table #:

Profile / Template: 10367

Prelog / Bottle Ord. ID:

*** Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Identified by Company: (Signature)

Date/Time: 3/19/25

Relinquished by Company: (Signature)

Date/Time: 3/20/25

Relinquished by Company: (Signature)

Date/Time: 3/20/25

Relinquished by Company: (Signature)

Date/Time: 3/20/25

Relinquished by Company: (Signature)

Date/Time: 3/20/25

Relinquished by Company: (Signature)

Date/Time: 3/20/25

Relinquished by Company: (Signature)

Date/Time: 3/20/25

Relinquished by Company: (Signature)

Date/Time: 3/20/25

Relinquished by Company: (Signature)

Date/Time: 3/20/25

Relinquished by Company: (Signature)

Date/Time: 3/20/25

Relinquished by Company: (Signature)

Date/Time: 3/20/25

Relinquished by Company: (Signature)

Date/Time: 3/20/25

Relinquished by Company: (Signature)

Date/Time: 3/20/25

Relinquished by Company: (Signature)

Date/Time: 3/20/25

Relinquished by Company: (Signature)

Date/Time: 3/20/25

Customer Remarks / Special Conditions / Possible Hazards:

Lead

Collected By:

Printed Name: William A. Kotas

Signature: [Signature]

Received by Company: (Signature)

Date/Time: 3/19/25

Received by Company: (Signature)

Date/Time: 3/20/25

Received by Company: (Signature)

Date/Time: 3/20/25

Received by Company: (Signature)

Date/Time: 3/20/25

Received by Company: (Signature)

Date/Time: 3/20/25

Received by Company: (Signature)

Date/Time: 3/20/25

Received by Company: (Signature)

Date/Time: 3/20/25

Received by Company: (Signature)

Date/Time: 3/20/25

Received by Company: (Signature)

Date/Time: 3/20/25

Additional Instructions from Pace®:

Coolers: 1

Thermal ID: 14211

Correlation Factor (°C): 0.2

Date/Temp (°C): 3/19/25 12:25

Tracking Number:

Date/Time: 3/19/25 12:25

Delivered by: [] In-Person [X] Courier

Date/Time: 3/20/25 3:20

Delivered by: [] FedEx [] UPS [] Other

Date/Time: 3/20/25

Delivered by: [] FedEx [] UPS [] Other

Date/Time: 3/20/25

Delivered by: [] FedEx [] UPS [] Other

Date/Time: 3/20/25

Delivered by: [] FedEx [] UPS [] Other

Date/Time: 3/20/25

Delivered by: [] FedEx [] UPS [] Other

Customer Remarks / Special Conditions / Possible Hazards:

Lead

Collected By:

Printed Name: William A. Kotas

Signature: [Signature]

Received by Company: (Signature)

Date/Time: 3/19/25

Received by Company: (Signature)

Date/Time: 3/20/25

Received by Company: (Signature)

Date/Time: 3/20/25

Received by Company: (Signature)

Date/Time: 3/20/25

Received by Company: (Signature)

Date/Time: 3/20/25

Received by Company: (Signature)

Date/Time: 3/20/25

Received by Company: (Signature)

Date/Time: 3/20/25

Pace® Location Requested (City/State):
Pace Analytical Long Island NY
575 Broad Hollow Rd, Melville, NY 11747

Company Name: Intertek-PSI
Street Address: 17 British American Blvd. Latham, NY 12210

Contact/Report To:
Phone #:
E-Mail:
Cc E-Mail:

Customer Project #: Sharon Springs Central School District
Project Name:

Invoice To:

Site Collection Info/Facility ID (as applicable):

Quote #: CR-80CES

County / State origin of sample(s):	New York

Data Deliverables:	Regulatory Programs
---------------------------	----------------------------

(DW, RCRA, etc.) as applicable: NY Lead in School DW

II Level II [] Level III [] Level IV []

1. **1.1**

[] Other _____

Rush (Pre-approval required):

1. January 1, 1955

Requested: Standard 10 business day

d Water (GW), Waste Water (WW), Product (P)

Collected

Matrix #	Grab	(or Composite Start)		Time	Date	Time	Date	Container
		Date	Time					
CL2								

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

[illegible]

[illegible][illegible]

→

1.25

م: ٥

→

[illegible]

5	5
---	---

→

3

[illegible]

227

[illegible]

Printed Name: William A. Kotas

Signature: _____

Date/Time:	1 / 1	Received by/Company: (Signature)
------------	-------	----------------------------------

3619163	484	2020
---------	-----	------

Date/Time: _____

Received by/Company: (Signature) _____

Date/Time:	1/1/2025 10:00 AM	Received by/Company: Signature	[Signature]
------------	-------------------	--------------------------------	-------------

2018	2019	2020
------	------	------

05/5 02/5 02/5

judgment and acceptance of the Pace® Terms and Conditions found at <https://www.pacelabs.com/>

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Log/in Label Here



Scan QR Code for instructions

Company Name:	Intertek-PSJ	Contact/Report To:	William Kotas
Street Address:	17 British American Blvd, Latham, NY 12210	Phone #:	(518) 377-9841
		E-Mail:	william.kotas@intertek.com
		Cc E-Mail:	
Customer Project #:		Invoice To:	PSJ Latham Accounts Payable
Project Name:	Sharon Springs Central School District	Invoice E-Mail:	LathamAR@intertek.com
		Purchase Order # (if applicable):	
		Quote #:	CR-BOCES

Site Collection Info/Facility ID (as applicable):

Time Zone Collected:	() AK	() PT	() MT	() CT	(X) ET	County / State origin of sample(s):	New York
Data Deliverables:							
() Level II	() Level III	() Level IV	Regulatory Program (DW, RCRA, etc.) as applicable; NY Lead in School DW				
() EQUIS	Rush (pre-approval required): () 12 Day () 3 day () 15 day () Other _____						
() Other _____	Date Results Requested: Standard 10 business day Field Filtered (if applicable): () Yes () No Analyzed: _____						
* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk (C), Other (O)							

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res. CL2	Number & Type of Containers
			Date	Time	Date	Time		
031	DW	G			3/18/25	6:35		1
032								
033								
034								
035								
036								
037								
038								
039								
040								

Customer Remarks / Special Conditions / Possible Hazards:

head

Collected By:

Printed Name: William A. Kotas
Signature:Relinquished by/Company: (Signature) DC F

Date/Time:

Received by/Company: (Signature)

Relinquished by/Company: (Signature)

Date/Time:

Received-by/Company: (Signature),

Relinquished by/Company: (Signature)

Date/Time:

Received by/Company: (Signature)

Relinquished by/Company: (Signature)

Date/Time:

Received by/Company: (Signature)

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at <https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/> ENV-FRM-CORQ-0019 v01 08/21/23 ©

[illegible]

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Company Name: Intertek-PSI
Street Address: 17 British American Blvd, Latham, NY 12210

Contact/Report To: William Kotas
Phone #: (518) 377-9841
E-Mail: william.kotas@intertek.com

Customer Project #: Sharon Springs Central School District
Project Name: Sharon Springs Central School District

Invoice To: PSI Latham Accounts Payable
Invoice E-Mail: lathamAR@intertek.com
Purchase Order # (if applicable):
Quote #: CR-BOCES

Site Collection Info/Facility ID (as applicable):

Time Zone Collected: [] AK [] MT [] CT [X] ET
Data Deliverables:
[] Level II [] Level III [] Level IV
[] EQUIS
[] Other _____
Rush (Pre-approval required):
[] 2 Day [] 3 day [] 5 day [] Other _____
Date Results Requested: Standard 10 business day
Analysis: Field Filtered (if applicable): [] Yes [] No

County / State origin of sample(s): New York
Regulatory Program (DW, RCRA, etc.) as applicable: NY Lead in School DW
DW PWSID # or VW Permit # as applicable:
Field Filtered (if applicable): [] Yes [] No

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

Customer Sample ID	Matrix *	Comp / Grab	Collected		Res. CL2	Composite End		Number & Type of Containers	Preservation non-conformance identified for sample
			Date	Time		Date	Time		
041	DW	G				3/18/25	6:41	1 Plastic	200.8 Drinking Water (Pb only)
042							6:41		
043							6:45		
044							6:46		
045							6:47		
046							6:49		
047							6:49		
048									
049									
050									

Customer Remarks / Special Conditions / Possible Hazards:

Collected By:

Printed Name: William A. Kotas

Signature: *William A. Kotas*

Additional Instructions from Pace®:

Coolers: 5 H211 Correction Factor (°C): 10.2 Obs. Temp. (°C) 23.4 Corrected Temp. (°C) 23.6
Thermometer ID: 5 H211 Tracking Number: 3/19/25 1225

Relinquished by/Company (Signature): *PSI*

Date/Time: 3/19/25

Relinquished by/Company (Signature): *PSI*

Date/Time: 3/19/25

Relinquished by/Company (Signature): *PSI*

Date/Time: 3/19/25

Relinquished by/Company (Signature): *PSI*

Date/Time: 3/19/25

Delivered by: [] In-Person [] Courier [] FedEx [] UPS [] Other
Page: 5 of 9

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Company Name:	Intertek-PSJ	Contact/Report To:	William Kotas
Street Address:	17 British American Blvd, Latham, NY 12210	Phone #:	(518) 377-9841
		E-Mail:	william.kotas@intertek.com
		Cc E-Mail:	
Customer Project #:		Invoice To:	PSI Latham Accounts Payable
Project Name:	Sharon Springs Central School District	Invoice E-Mail:	LathamAR@intertek.com
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):	
		Quote #:	CR-BOCES

Time Zone Collected:	[] AK	[] PT	[] MT	[] CT	[X] ET	County / State origin of samples:	New York
Data Deliverables:	Regulatory Program (DW, RCRA, etc.) as applicable: NY Lead in School DW						
[] Level II	[] Level III	[] Level IV	Rush (pre-approval required):				DW PWSID # or WW Permit # as applicable:
[] EQUIS	[] 2 Day [] 3 day [] 5 day [] Other _____						
[] Other _____	Date Results Requested: Standard 10 business day						Field Filtered (if applicable): [] Yes [] No
Analysis:							
Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT). Surface Water (SW) Sediment (SED), Sludge (SL), Caulk (C).							

Customer Sample ID	Matrix *	Comp / Grab	Collected		Composite End		Res. CL2	Number & Type of Containers	
			Date	Time	Date	Time		Plastic	Glass
051	DW	G			3/18/25	6:50		1	
052						6:51			
053						↓			
054									
055						6:54			
056						↓			
057									
058						6:58			
059						6:58			
617						6:59			

Customer Remarks / Special Conditions / Possible Hazards:	Lead	Collected By:
Relinquished by Company: (Signature)	3/19/25	Printed Name: William A. Kotas Signature: [Signature]
Relinquished by Company: (Signature)	3/19/25	Received by Company: (Signature)
Relinquished by Company: (Signature)	3/19/25	Received by Company: (Signature)
Relinquished by Company: (Signature)	3/19/25	Received by Company: (Signature)
Relinquished by Company: (Signature)	3/19/25	Received by Company: (Signature)

	Scan QR Code for instructions									
Specify Container Size **										
Identify Container Preservative Type***										
Analysis Requested										

[illegible]

A blank grid with a horizontal line and an arrow pointing right, labeled 'X' and '200.8 D'.

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Company Name: Intertek-PSI
Street Address: 17 British American Blvd, Latham, NY 12210

Contact/Report To: William Kotas
Phone #: (518) 377-9841
E-Mail: william.kotas@intertek.com

Customer Project #: Sharon Springs Central School District
Project Name:

Invoice To: PSI Latham Accounts Payable
Invoice E-Mail: LathamAR@intertek.com

Site Collection Info/Facility ID (as applicable):

Purchase Order # (if applicable):

Quote #:

County / State origin of sample(s): New York

Time Zone Collected: [] AK [] PT [] MT [] CT [X] ET
Regulatory Program (DW, RCRA, etc.) as applicable: NY Lead in School DW

[] Level II [] Level III [] Level IV
[] EQUIS
[] Other
Rush (Pre-approval required):
DW PWSID # or WW Permit # as applicable:
[] 2 Day [] 3 day [] 5 day [] Other
Date Results Requested: Standard 10 business day
Field Filtered (if applicable): [] Yes [] No
Analysis:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Biossaw (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

Customer Sample ID	Matrix *	Collected		Res. CL2	Number & Type of Containers
		Comp / Grab	Composite End Date Time		
071	DW	G	3/18/15 7:06	1	Plastic Glass
072			7:09		
073			7:11		
074			7:12		
075			7:14		
076			7:15		
077			7:16		
078					
079					
080					

Customer Remarks / Special Conditions / Possible Hazards:

Collected By: William A. Kotas

Printed Name: William A. Kotas

Signature: *William A. Kotas*

Received by/Company: (Signature)

Received by/Company: (Signature)

Received by/Company: (Signature)

Received by/Company: (Signature)

Received by/Company: (Signature)

Received by/Company: (Signature)

Received by/Company: (Signature)

Date/Time: 3/19/15 12:25

Date/Time:

Date/Time: 3/19/15 01:30

Date/Time: 3/20/15 08:00

Date/Time:

Date/Time:

Date/Time:

Date/Time: 3/19/15 12:25

Date/Time: 3/19/15 12:25

Date/Time: 3/19/15 12:25

Date/Time: 3/19/15 12:25

Date/Time: 3/19/15 12:25

Date/Time: 3/19/15 12:25

Date/Time: 3/19/15 12:25

Date/Time: 3/19/15 12:25

Date/Time: 3/19/15 12:25

Date/Time: 3/19/15 12:25

Date/Time: 3/19/15 12:25

Date/Time: 3/19/15 12:25

Date/Time: 3/19/15 12:25

Date/Time: 3/19/15 12:25

Date/Time: 3/19/15 12:25

Date/Time: 3/19/15 12:25

Date/Time: 3/19/15 12:25

Date/Time: 3/19/15 12:25

Date/Time: 3/19/15 12:25

Date/Time: 3/19/15 12:25

Date/Time: 3/19/15 12:25

Date/Time: 3/19/15 12:25

Date/Time: 3/19/15 12:25

Date/Time: 3/19/15 12:25

Date/Time: 3/19/15 12:25

Date/Time: 3/19/15 12:25

Date/Time: 3/19/15 12:25

Date/Time: 3/19/15 12:25

Client:

Profile #:

Use Point Number Spreadsheet ☐ Multiday Project ☐

Use Point Number Spreadsheet

☐ Multiday Project

Work ID: 4

COC Page

☐ Add SCLOGFD to first sample for field charge

of

COC Line Item	Matrix
1	WG9U
2	WG9C
3	WG9H
4	WG9S
5	VG9T
6	DG9Y
7	DG9P
8	DG9A
9	DG6T
10	DG9S
11	AG4U
12	AG3U
	AG2U
	AG1U
	AG3A
	AG3S
	AG4E
	AG3T
	AG2R
	AG1T
	AG1H
	AG1A
	AG5U
	AG4A
	CG1U
	WG9O
	MG4O
	BP4U
	BP3U
	BP2U
	BP1U
	BP3S
	BP2S
	BP4N
	BP3N
	BP2N
	BP3C
	BP3T
	BP3S
	BP3R
	BP1Z
	BP1N
	BP1B
	SP5T
	R
	WG2U
	MGFU
	MGKU
	MGDU
	ZPLC
	GN
	WP
	TEDL
	BGIH
	LLHG
	BGIN
	IJC
	SOC

Glass		Plastic
VG9U	40mL unpres clear vial	BP4U
VG9C	40mL Ascorbic-HCl clear vial	BP4U
VG9H	40mL HCl clear vial	BP2U
VG9S	40mL Sulfuric clear vial	BP1U
VG9T	40mL Na Thiosulfate vial	1L unpreserved plastic
DG9V	40mL Citralex-Na Thiosulfate	125mL HNO3 plastic
DG9P	40mL amber vial - TSP	250mL HNO3 plastic
DG9A	Ascorbic/Maleic Acid 40mL	BP2N
DG6T	Na Thio 60mL Vial	250mL H2SO4 plastic
DG9S	Ammonium Cl/CUSO4 40mL	BP2S
CG1U	1L Unpres Jar (Con Ejd)	BP3C
WG9Q	8oz clear soil jar	NaOH 250mL bottle
WG4Q	4oz clear soil jar	250mL Trizma
		BP3S
		250mL Ammonium Acetate
		BP1Z
		250mL NH4SO4-NH4OH
		1L NaOH, Zn Acetate
		1L HNO3 plastic
		BP1B
		Na Thiosulfate Amber Bottle

	Misc.
SP5T	120mL Coliform Na Thio
R	Terracore Kit
WGUU	4oz Unpreserved Jar
WGUU	4oz Unpreserved Jar
WGUU	8oz Unpreserved Jar
WGUU	16oz Unpreserved Jar
ZPLC	Piplock Bag
TEDL	Tedlar Bag
BGTH	1L HCL Clear Glass
IGN	General
WP	Wipe
LLHG	Low Level Hg Bottles
RGIN	1L HNO ₃ Clear Glass

IOC	
BP1U	1L unpreserved plastic
BP3N*	250mL HNO3 plastic
BP3C	250mL Sodium Hydroxide
AG2U	500mL unpres amber glass
BP3U	250mL unpreserved plastic

* Can also be a BP4N

Matrix	
WT	Water
SL	Solid
NAL	Non-aqueous Liquid
OL	OIL
WP	Wipe
DW	Drinking Water

SOC	
VG9T	40mL Na Thio amber vial
DG9A	40mL Ascorbic acid / malic Acid vials
DG9Y	Citrate/Na Thiosulfate 40mL
DG8T	Na Thiosulfate 60mL vial
DG6M	Monocitric/Na Thio 60mL
AG3U	250mL unpres amber glass
AG3T	Na Thiosulfate 250mL bottle
BP1B	Na Thiosulfate Amber bottle
AG1T	Na Thiosulfate 1L Amber
AG1A	500 2.3oz Thiosulfate 1L Amber

Sender Initials

Additional Comments

WO#: 70344144

PM: LAB

Due Date: 04/03/25

CLIENT: INTER-LATHAM

WO#: 70344144

Client Name: Inter-latham

Project #

PM: LAB

Due Date: 04/03/25

CLIENT: INTER-LATHAM

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☐ Client ☐ Commercial ☒ Pace ☐ Other

Tracking #:

Custody Seal on Cooler/Box Present: ☐ Yes ☒ No Seals intact: ☐ Yes ☒ No Temperature Blank Present: ☐ Yes ☒ No

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ Ziploc ☒ None ☐ Other Type of Ice: Wet Blue None

Thermometer Used: TH211 Correction Factor: 23.4 ☐ Samples on ice, cooling process has begun

Cooler Temperature (°C): 10.2 Cooler Temperature Corrected (°C): 23.6 Date/Time 5035A kits placed in freezer

Temp should be above freezing to 6.0°C

USDA Regulated Soil (☐ N/A, water sample)

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)? ☐ Yes ☒ No

Did samples originate from a foreign source including Hawaii and Puerto Rico? ☐ Yes ☒ No

If Yes to either question, fill out a Regulated Soil Checklist (ENV-FRM-MELV-0076) and include with SCUR/COC paperwork.

Date and Initials of person examining contents: AEB 3/20/25

	COMMENTS:
Chain of Custody Present: ☒ Yes ☐ No	1.
Chain of Custody Filled Out: ☒ Yes ☐ No	2.
Chain of Custody Relinquished: ☒ Yes ☐ No	3.
Sampler Name & Signature on COC: ☒ Yes ☐ No ☐ N/A	4.
Samples Arrived within Hold Time: ☒ Yes ☐ No	5.
Short Hold Time Analysis (<72hr): ☒ Yes ☐ No	6.
Rush Turn Around Time Requested ☒ Yes ☐ No	7.
Sufficient Volume: (Triple volume provided for MS/MSD) ☒ Yes ☐ No	8.
Correct Containers Used: ☒ Yes ☐ No	9.
-Pace Containers Used: ☒ Yes ☐ No	10.
Containers Intact: ☒ Yes ☐ No	11.
Filtered volume received for Dissolved tests ☐ Yes ☒ No <u>N/A</u>	Note: if sediment is visible in the dissolved container.
Sample Labels match COC: ☒ Yes ☐ No	12.
-Includes date/time/ID/Analysis Matrix: SL <u>WT</u> OIL OTHER	

Date and Initials of person checking preservation: AEB 3/20/25

All containers needing preservation have been ☒ Yes ☐ No ☐ N/A	13. ☐ HNO ₃ ☐ H ₂ SO ₄ ☐ NaOH ☐ HCl
pH paper Lot # <u>231229</u>	Sample #
All containers needing preservation are found to be in compliance with method recommendation? ☒ Yes ☐ No ☐ N/A	
(HNO ₃ , H ₂ SO ₄ , HCl, NaOH > 9 Sulfide, ☒ Yes ☐ No ☐ N/A	
NAOH > 12 Cyanide)	
Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water).	
Per Method, VOA pH is checked after analysis	
Samples checked for dechlorination: ☐ Yes ☐ No ☒ N/A	14.
KI starch test strips Lot #	Positive for Res. Chlorine? Y N
Residual chlorine strips Lot #	15.
SM 4500 CN samples checked for sul ☐ Yes ☐ No ☒ N/A	Positive for Sulfide? Y N
Lead Acetate Strips Lot #	
Headspace in ALK Bottle (>6mm): ☐ Yes ☐ No ☒ N/A	16.
Headspace in VOA Vials (>6mm): ☐ Yes ☐ No ☒ N/A	17.
Trip Blank Present: ☐ Yes ☐ No ☒ N/A	
Trip Blank Custody Seals Present ☐ Yes ☐ No ☒ N/A	

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted:

Date/Time:

Comments/ Resolution:

* PM (Project Manager) review (which includes the SCUR) is documented electronically in LIMS.